



Department of
Rehabilitation & Correction

John R. Kasich, Governor
Gary C. Mohr, Director

March 28, 2016

Sheriff Zach Scott
Franklin County Correctional Center 1
370 S. Front St.
Columbus, Ohio 43215

RE: 2015 – Annual Jail Inspection

Dear Sheriff Scott:

In accordance with Section 5120.10 of the Ohio Revised Code and Executive Order 92-03 of the Department of Rehabilitation and Correction, the Franklin County Correctional Center 1, a Full Service Jail facility, was inspected on October 1st and 2nd, 2015. The inspection was restricted to assessing compliance with a group of one hundred and seventeen (117) standards, selected from the Minimum Standards for Jails in Ohio promulgated by the Bureau of Adult Detention. The group of standards being inspected focused on reception and release, classification, security, housing, sanitation and environmental conditions, communication, visitation, medical/mental health, food service, recreation and programming, inmate discipline, administrative segregation, grievance, staffing, and staff training. Please note that this inspection does not reflect a comprehensive evaluation of the overall jail condition. The inspection consisted of this Inspector receiving and/or reviewing requested documentation and/or materials, touring selected areas of the jail, and having a brief interview with Major Perry, Jail Administrator.

The total actual housing capacity for the Franklin County Correctional Center 1 (FSJ) is (643), consisting of (643) adult males and (0) adult females, and (0) mixed housing (either adults or juveniles), and (0) special housing beds. On the date of the actual jail inspection, there were (584) inmates incarcerated in the Franklin County Correctional Center 1 (FSJ). The Bureau of Adult Detention's recommended housing capacity for the jail is (402), which is based upon total available living space and other requirements. Officials should maintain prisoner counts within the Bureau's recommended capacity figure. The Franklin County Correctional Center 1 (FSJ) is in compliance with the following standards:

5120:1-8-01(A)(1); -01(A)(3); -01(A)(4); -01(A)(9); -01(A)(12); -02(B)(1); -02(B)(2); -02(B)(4); -02(D); -3(A)(1); -03(A)(2); -03(A)(3); -03(A)(4); -03(A)(5); -03(A)(6); -03(A)(7); -03(B)(2); -03(B)(4); -03(B)(5); -03(B)(6); -03(B)(7); -03(B)(8); -03(B)(9); -03(B)(10)(a); -03(B)(10)(b); -03(B)(10)(c); -03(B)(10)(d); -03(B)(11)(b); -03(B)(11)(c); -03(B)(12); -03(B)(15); -03(B)(16); -03(B)(17)(a); -04(C); -04(D); -04(E); -04(F); -04(J); -04(A)(4)(K); -05(A); -05(B); -

05(C); -05(E); -05(G)(1); -05(G)(2); -05(H)(3); -05(I); -05(J); -05(K); -05(L); -05(M); -05(N); -05(O); -05(P); -05(Q); -06(B); -06(C); -06(G); -07(A); -07(D); -07(E); -07(H); -07(I); -09(A); -09(B); -09(C); -09(D); -09(E); -09(F); -09(G); -09(H); -09(J); -09(K); -09(M); -09(N); -09(P); -09(Q); -09(R); -09(U); -09(V); -09(W); -09(X); -10(A); -10(B); -10(C); -10(D); -10(E); -10(F)(Variance Approved); -10(G)(1); -10(G)(2); -11(A); -11(B); -11(E); -12(B); -12(C); -12(F); -12(G); -12(H); -15(B); -15(D); -15(E); -16(A); -17(D); -17(E); -17(F); -17(G); -18(A); -18(B); -18(C); -18(D); -18(E).

The Franklin County Correctional Center 1 is in compliance with 100% of the Essential Standards and at least 90% of the Important Standards making it a "**Compliant Jail**". It should be noted however, the jail did not comply with (5) of the Important Standards upon which the facility was inspected. This letter is intended to serve as a basis for developing plans of action for bringing the facility back into compliance with the remaining deficiencies noted during the inspection.

5120:1-8-01(A)(7)(Important): Each full-service jail shall develop and implement policies and procedures governing strip searches and body cavity searches during reception in consultation with the County Prosecutor, consistent with 2933.32 of the Revised Code. The practices shall be supported by written policies and procedures. All jail procedures, to include forms used, should be approved in writing. At the time of the inspection, the jail did not provide documentation to evidence that the strip/ body cavity searches policy and procedures were reviewed and approved from the County Prosecutor.

5120:1-8-04(A)(4)(a)(Important): Each full-service jail shall have written policies, procedures and practices to ensure prisoners in dormitories are provided with sufficient dayroom space as mandated by the Ohio Jail Standards. All dormitory spaces must provide housed prisoners with at least 35 square feet of day space per prisoner. The jail has exceeded the Bureau Recommended Capacity for their facility and there is not the required amount of day space for each inmate.


5120:1-8-04(B)(Important): Each full-service jail shall ensure seating shall be provided in holding areas, housing cells, dormitories, dayrooms and eating areas for each inmate. At their current capacity, the jail does not provide sufficient seating for inmates.

5120:1-8-04(G)(Important): Each full-service jail shall ensure shower facilities are available, at a minimum of one operable shower for every twelve occupants. Water temperatures shall be controlled thermostatically in a range from one hundred five to one hundred twenty degrees Fahrenheit. There shall be written approval or documentation of appropriate building codes if the ratio is different from 12 inmates per shower. The jail is not in compliance with the ratio of inmates to showers (e.g. 5 North, 20:1).

5120:1-8-04(H)(Important): Each full-service jail shall ensure there is one operable wash basin with hot and cold potable water for every twelve occupants. On the date of the inspection, the ratio for one operable wash basin with hot and cold potable water did not meet compliance with this standard (e.g. 5 North, 20:1). Jail Administration was made aware of noncompliance at the time of the inspection.

Plan of action forms are enclosed. Completed form(s) and/or corrective materials addressing the noted deficiencies can be completed and returned to Assistant Bureau Administrator Jon Radebaugh (jon.radebaugh@odrc.state.oh.us). Feel free to contact me if you need assistance or clarification in this effort. The Department remains available to discuss the aspects of this report or to provide reference materials or assistance as desired.

Sincerely,



Scott Filicky, State Jail Inspector

Bureau of Adult Detention

770 W. Broad St., 3rd Floor

Cellular: (614) 208-0525

Email: scott.filicky@odrc.state.oh.us

cc: John F. Adams, Bureau Administrator
Franklin County Board of Commissioners
Major Perry, Jail Administrator
File



Department of
Rehabilitation & Correction

John R. Kasich, Governor
Gary C. Mohr, Director

March 25, 2016

Sheriff Zach Scott
Franklin County Correctional Center 2
2460 Jackson Pike
Columbus, Ohio 43223

RE: 2015 – Annual Jail Inspection

Dear Sheriff Scott:

In accordance with Section 5120.10 of the Ohio Revised Code and Executive Order 92-03 of the Department of Rehabilitation and Correction, the Franklin County Correctional Center 2, a Full Service Jail facility, was inspected on October 8th and 9th, 2015. The inspection was restricted to assessing compliance with a group of one hundred and seventeen (117) standards, selected from the Minimum Standards for Jails in Ohio promulgated by the Bureau of Adult Detention. The group of standards being inspected focused on reception and release, classification, security, housing, sanitation and environmental conditions, communication, visitation, medical/mental health, food service, recreation and programming, inmate discipline, administrative segregation, grievance, staffing, and staff training. Please note that this inspection does not reflect a comprehensive evaluation of the overall jail condition. The inspection consisted of this Inspector receiving and/or reviewing requested documentation and/or materials, touring selected areas of the jail, and having a brief interview with Captain Turner, Jail Administrator.

The total actual housing capacity for the Franklin County Correctional Center 2 (FSJ) is (1720), consisting of (1230) adult males and (425) adult females, and (16) mixed housing (either adults or juveniles), and (49) special housing beds. On the date of the actual jail inspection, there were (1413) inmates incarcerated in the Franklin County Correctional Center 2 (FSJ). The Bureau of Adult Detention's recommended housing capacity for the jail is (1019), which is based upon total available living space and other requirements. Officials should maintain prisoner counts within the Bureau's recommended capacity figure. The Franklin County Correctional Center 2 (FSJ) is in compliance with the following standards:

5120:1-8-01(A)(1); -01(A)(3); -01(A)(4); -01(A)(9); -01(A)(12); -02(B)(1); -02(B)(2); -02(B)(4); -02(D); -03(A)(1); -03(A)(3); -03(A)(4); -03(A)(5); -03(A)(6); -03(A)(7); -03(B)(2); -03(B)(4); -03(B)(5); -03(B)(6); -03(B)(7); -03(B)(8); -03(B)(9); -03(B)(10)(a); -03(B)(10)(b); -03(B)(10)(c); -03(B)(10)(d); -03(B)(11)(b); -03(B)(10)(c); -03(B)(12); -03(B)(15); -03(B)(16); -03(B)(17)(a); -04(C); -04(D); -04(E); -04(J); -04(A)(4)(K); -05(A); -05(B); -05(C); -05(E); -05(G)(1); -05(G)(2); -05(H)(3); -05(I); -05(J); -05(K); -05(L); -05(M); -05(N); -05(O); -05(P); -05(Q); -06(B); -06(C); -06(G); -07(A); -07(D); -07(E); -07(H); -07(I); -09(A); -09(B); -09(C); -09(D); -09(E); -09(F); -09(G); -09(H); -09(J); -09(K); -09(M); -09(N); -

09(P); -09(Q); -09(R); -09(U); -09(V); -09(W); -09(X); -10(A); -10(B); -10(C); -10(D); -10(E); -10(F)(Variance Approved); -10(G)(1); -10(G)(2); -11(A); -11(B); -11(E); -12(B); -12(C); -12(F); -12(G); -12(H); -15(B); -15(D); -15(E); -16(A); -17(D); -17(E); -17(F); -17(G); -18(A); -18(B); -18(C); -18(D); -18(E).

The Franklin County Correctional Center 2 is in compliance with 100% of the Essential Standards and at least 90% of the Important Standards making it a “Compliant Jail”. It should be noted however, the jail did not comply with (6) of the Important Standards upon which the facility was inspected. This letter is intended to serve as a basis for developing plans of action for bringing the facility back into compliance with the remaining deficiencies noted during the inspection.

5120:1-8-01(A)(7)(Important): Each full-service jail shall develop and implement policies and procedures governing strip searches and body cavity searches during reception in consultation with the County Prosecutor, consistent with 2933.32 of the Revised Code. The practices shall be supported by written policies and procedures. All jail procedures, to include forms used, should be approved in writing. At the time of the inspection, the jail did not provide documentation to evidence that the strip/ body cavity searches policy and procedures was reviewed and approved from the County Prosecutor.

5120:1-8-04(A)(4)(a)(Important): Each full-service jail shall have written policies, procedures and practices to ensure prisoners in dormitories are provided with sufficient dayroom space as mandated by the Ohio Jail Standards. All dormitory spaces must provide housed prisoners with at least 35 square feet of day space per prisoner. The jail has exceeded the Bureau Recommended Capacity for their facility and there is not the required amount of day space for each inmate.

5120:1-8-04(B)(Important): Each full-service jail shall ensure seating shall be provided in holding areas, housing cells, dormitories, dayrooms and eating areas for each inmate. At their current capacity, the jail does not provide sufficient seating for inmates.

5120:1-8-04(F)(Important): Each full-service jail shall ensure toilet facilities at a minimum of one operable toilet for every twelve occupants. On the date of the inspection, the ratio for one operable toilet for every 12 occupants did not meet compliance with this standard. Furthermore, there shall be written approval or documentation of appropriate building codes if the ratio is different from 12 inmates per flush toilet.


5120:1-8-04(G)(Important): Each full-service jail shall ensure shower facilities are available, at a minimum of one operable shower for every twelve occupants. Water temperatures shall be controlled thermostatically in a range from one hundred five to one hundred twenty degrees Fahrenheit. There shall be written approval or documentation of appropriate building codes if the ratio is different from 12 inmates per shower. The jail is not in compliance with the ratio of inmates to showers.

5120:1-8-04(H)(Important): Each full-service jail shall ensure there is one operable wash basin with hot and cold potable water for every twelve occupants. On the date of the inspection, the ratio for one operable wash basin with hot and cold potable water did not meet compliance with this standard. There shall be

written approval or documentation of appropriate building codes if the ratio is different from 12 inmates per fixture.

Plan of action forms are enclosed. Completed form(s) and/or corrective materials addressing the noted deficiencies can be completed and returned to Assistant Bureau Administrator Jon Radebaugh (jon.radebaugh@odrc.state.oh.us). Feel free to contact me if you need assistance or clarification in this effort. The Department remains available to discuss the aspects of this report or to provide reference materials or assistance as desired.

Sincerely,



Scott Filicky, State Jail Inspector
Bureau of Adult Detention
770 W. Broad St., 3rd Floor
Cellular: (614) 208-0525
Email: scott.filicky@odrc.state.oh.us

cc: John F. Adams, Bureau Administrator
Franklin County Board of Commissioners
Captain Turner, Jail Administrator
File