



Department of
Rehabilitation & Correction

John R. Kasich, Governor
Gary C. Mohr, Director

01/17/2017

Sheriff George Maier
Stark County Jail
4500 Atlantic Boulevard NE
Canton, OH 44705

RE: 2016 Annual Jail Inspection

Dear Sheriff George Maier:

In accordance with Section 5120.10 of the Ohio Revised Code and Executive Order 92-03 of the Department of Rehabilitation and Correction, the Stark County Jail, a full service jail, was inspected on 08/31/2016. The inspection was restricted to assessing compliance with a group of standards, selected from the Standards for Jails in Ohio promulgated by the Department of Rehabilitation and Correction. The group of standards being inspected focused on Reception & Release, Classification, Security, Housing, Sanitation and Environmental Conditions, Communication, Visitation, Medical and Mental Health Services, Food Service, Recreation and Programming, Inmate Discipline, Administrative Segregation, Grievance, Staffing, and Staff Training. The inspection consisted of this Inspector receiving and/or reviewing requested documentation and/or materials, touring selected areas of the jail, and having discussions with various jail staff.

The total actual general housing capacity for the Stark County Jail is 534. On the date of the jail inspection, there were 491 inmates incarcerated in the Stark County Jail. The Ohio Department of Rehabilitation and Correction recommended housing capacity for the jail is 529, which is based upon total available living space and other requirements. Officials should maintain prisoner counts within the Department's recommended capacity figure.

The Stark County Jail (Full Service Jail) is in compliance with 115 standards, 53 "Essential", and 62 "Important".

5120:1-8-01 (A)(10); -01 (A)(11); -01 (A)(13); -01 (A)(14); -01 (A)(15); -01 (A)(2); -01 (A)(5); -01 (A)(6); -01 (A)(8); -02 (A); -02 (B)(3); -02 (B)(5); -02 (C); -03 (A)(1); -03 (A)(3); -03 (A)(4); -03 (A)(5); -03 (A)(6); -03 (A)(7); -03 (B)(1); -03 (B)(10)(a); -03 (B)(10)(b); -03 (B)(10)(c); -03 (B)(10)(d); -03 (B)(11)(a); -03 (B)(11)(b); -03 (B)(11)(c); -03 (B)(13); -03 (B)(14); -03 (B)(3); -03 (B)(4); -03 (B)(5); -03 (B)(6); -03 (B)(7); -03 (B)(9); -04 (A)(1); -04 (A)(2a); -04 (A)(2b); -04 (A)(3); -04 (I); -04 (K); -04 (L); -05 (A); -05 (B); -05 (C); -05 (D); -05 (E); -05 (F); -05 (G)(3); -05 (H)(1); -05 (H)(2); -05 (H)(4); -05 (H)(5); -05 (H)(6); -05 (L); -05 (M); -05 (O); -05 (P); -05 (Q); -06 (A); -06 (D); -06 (F); -06 (H); -07 (B); -07 (C); -07 (F); -07 (G); -07 (J); -09 (A); -09 (AA); -09 (B); -09 (C); -09 (D); -09 (E); -09 (F); -09 (G); -09 (H); -09 (I); -09 (J); -09 (K); -09 (L); -09 (M); -09 (N); -09 (O); -09 (P); -09 (Q); -09 (R); -09 (S); -09 (T); -09 (U); -09 (V); -09 (W); -09 (X); -09 (Y); -09 (Z); -10 (A); -10 (B); -10 (C); -10 (E); -10 (F); -10 (G)(1); -10 (G)(2); -11 (C); -11 (D); -12 (A); -12 (D); -12 (E); -12 (I); -15 (A); -15 (C); -15 (F); -16 (B); -17 (A); -17 (B); -17 (C);

The Stark County Jail did not comply with 0 standards, 0 "Essential", and 0 "Important". This letter is intended to serve as a basis for developing plans of action for bringing the facility into compliance with the deficiencies noted during the inspection.

The Stark County Jail was found to be in compliance with the onsite jail inspection for the 2016 calendar year. Your continuing effort to maintain compliance with the Minimum Standards for Jails in Ohio is to be commended. Thank you for your cooperation in the 2016 annual inspection process.

Sincerely,

A handwritten signature in blue ink that reads "Joel M. Commins". The signature is written in a cursive style and is positioned above a horizontal line.

Joel Commins, State Jail Inspector
Bureau of Adult Detention
615 Superior Ave
Cleveland, Ohio 44113
Phone: (216) 787-4902
Email: joel.commins@odrc.state.oh.us