



Department of
Rehabilitation & Correction

John R. Kasich, Governor
Gary C. Mohr, Director

09/13/2017

Sheriff Larry Minks
Washington County Jail
101 Westview Ave.
Marietta, OH 45750

RE: 2017 Annual Jail Inspection

Dear Sheriff Larry Minks:

In accordance with Section 5120.10 of the Ohio Revised Code and Executive Order 92-03 of the Department of Rehabilitation and Correction, the Washington County Jail, a full service jail, was inspected on 08/23/2017. The inspection was restricted to assessing compliance with a group of standards, selected from the Standards for Jails in Ohio promulgated by the Department of Rehabilitation and Correction. The group of standards being inspected focused on Reception & Release, Classification, Security, Housing, Sanitation and Environmental Conditions, Communication, Visitation, Medical and Mental Health Services, Food Service, Recreation and Programming, Inmate Discipline, Administrative Segregation, Grievance, Staffing, and Staff Training. The inspection consisted of this Inspector receiving and/or reviewing requested documentation and/or materials, touring selected areas of the jail, and having discussions with various jail staff.

The total actual general housing capacity for the Washington County Jail is 136. On the date of the jail inspection, there were 123 inmates incarcerated in the Washington County Jail. The Ohio Department of Rehabilitation and Correction recommended housing capacity for the jail is 124, which is based upon total available living space and other requirements. Officials should maintain prisoner counts within the Department's recommended capacity figure.

The Washington County Jail (Full Service Jail) is in compliance with 114 standards, 53 "Essential", and 61 "Important".

5120:1-8-01 (A)(1); -01 (A)(3); -01 (A)(4); -01 (A)(7); -01 (A)(9); -01 (A)(12); -02 (B)(1); -02 (B)(2); -02 (B)(4); -02 (D); -03 (A)(1); -03 (A)(3); -03 (A)(4); -03 (A)(5); -03 (A)(6); -03 (A)(7); -03 (B)(2); -03 (B)(4); -03 (B)(5); -03 (B)(6); -03 (B)(7); -03 (B)(8); -03 (B)(9); -03 (B)(10)(a); -03 (B)(10)(b); -03 (B)(10)(c); -03 (B)(10)(d); -03 (B)(11)(b); -03 (B)(11)(c); -03 (B)(12); -03 (B)(15); -03 (B)(16); -03 (B)(17); -04 (B); -04 (C); -04 (D); -04 (E); -04 (F); -04 (G); -04 (H); -04 (J); -04 (K); -05 (A); -05 (B); -05 (C); -05 (E); -05 (G)(1); -05 (G)(2); -05 (H)(3); -05 (I); -05 (J); -05 (K); -05 (L); -05 (M); -05 (N); -05 (O); -05 (P); -05 (Q); -06 (B); -06 (C); -06 (G); -07 (A); -07 (D); -07 (E); -07 (H); -07 (I); -09 (A); -09 (B); -09 (C); -09 (D); -09 (E); -09 (F); -09 (G); -09 (H); -09 (J); -09 (K); -09 (M); -09 (N); -09 (P); -09 (Q); -09 (R); -09 (U); -09 (V); -09 (W); -09 (X); -10 (A); -10 (B); -10 (C); -10 (D); -10 (E); -10 (F); -10 (G)(1); -10 (G)(2); -11 (A); -11 (B); -11 (E); -12 (B); -12 (C); -12 (F); -12 (G); -12 (H); -15 (B); -15 (D); -15 (E); -16 (A); -17 (D); -17 (E); -17 (F); -17 (G); -18 (A); -18 (B); -18 (C); -18 (D); -18 (E);

The Washington County Jail did not comply with 1 standards, 0 "Essential", and 1 "Important". This letter is intended to serve as a basis for developing plans of action for bringing the facility into compliance with the deficiencies noted during the inspection.

5120:1-8-04 (A) (4) Full service jails shall provide inmates with sufficient space. The jail shall maintain documentation


regarding square footage and maximum occupancy figures for all housing and holding areas, and shall comply with the following minimum requirements: Dayspace: (Important) Thirty-five square feet per number of occupants occupying the dayspace at one time. Minimum size of one hundred five square feet.

Comments: At the time of inspection, several pods were over populated with inmates which resulted in temporary beds or "boats" being laid upon the dayroom area floors. Therefore, dayspace minimum square footage requirements do not meet the requirements for this standard.

The Washington County Jail is in compliance with 100% of the Essential Standards and at least 90% of the Important Standards meeting the requirements of a "Compliant Jail". It should be noted however; the jail did not comply with 1 of the Important Standards upon which the facility was inspected. This letter is intended to serve as a basis for developing plans of action for bringing the facility back into compliance with the remaining deficiencies noted during the inspection.

The Bureau of Adult Detention encourages the jail to correct the remaining deficiencies noted in the inspection report prior to the next annual jail inspection. Plan of Action forms are enclosed and can be submitted through the Ohio Jail Management System (OHJMS) at www.OHJMS.Intelligrants.com. Feel free to contact the Bureau if you need assistance or clarification in this effort. The Bureau remains available to discuss the aspects of this report and to provide reference materials or assistance as desired.

Sincerely,



Scott Filicky, State Jail Inspector
Bureau of Adult Detention
770 West Broad Street
Columbus, Ohio 43222
Phone: (614) 387-0588
Email: scott.filicky@odrc.state.oh.us