



Department of  
Rehabilitation & Correction

**John R. Kasich**, Governor  
**Gary C. Mohr**, Director

01/30/2017

Sheriff Mark Wasylshyn  
Wood County Jail  
1960 E. Gypsy Lane Road  
Bowling Green, OH 43402

RE: 2016 Annual Jail Inspection

Dear Sheriff Mark Wasylshyn:

In accordance with Section 5120.10 of the Ohio Revised Code and Executive Order 92-03 of the Department of Rehabilitation and Correction, the Wood County Jail, a full service jail, was inspected on 12/05/2016. The inspection was restricted to assessing compliance with a group of standards, selected from the Standards for Jails in Ohio promulgated by the Department of Rehabilitation and Correction. The group of standards being inspected focused on Reception & Release, Classification, Security, Housing, Sanitation and Environmental Conditions, Communication, Visitation, Medical and Mental Health Services, Food Service, Recreation and Programming, Inmate Discipline, Administrative Segregation, Grievance, Staffing, and Staff Training. The inspection consisted of this Inspector receiving and/or reviewing requested documentation and/or materials, touring selected areas of the jail, and having discussions with various jail staff.

The total actual general housing capacity for the Wood County Jail is 220. On the date of the jail inspection, there were 161 inmates incarcerated in the Wood County Jail. The Ohio Department of Rehabilitation and Correction recommended housing capacity for the jail is 220, which is based upon total available living space and other requirements. Officials should maintain prisoner counts within the Department's recommended capacity figure.


The Wood County Jail (Full Service Jail) is in compliance with 113 standards, 52 "Essential", and 61 "Important".

5120:1-8-01 (A)(10); -01 (A)(11); -01 (A)(13); -01 (A)(14); -01 (A)(15); -01 (A)(2); -01 (A)(5); -01 (A)(6); -01 (A)(8); -02 (A); -02 (B)(3); -02 (B)(5); -02 (B)(6); -03 (A)(1); -03 (A)(3); -03 (A)(4); -03 (A)(5); -03 (A)(6); -03 (A)(7); -03 (B)(1); -03 (B)(10)(a); -03 (B)(10)(b); -03 (B)(10)(c); -03 (B)(10)(d); -03 (B)(11)(a); -03 (B)(11)(b); -03 (B)(11)(c); -03 (B)(13); -03 (B)(14); -03 (B)(3); -03 (B)(4); -03 (B)(5); -03 (B)(6); -03 (B)(7); -03 (B)(9); -04 (A)(1); -04 (A)(2a); -04 (A)(3); -04 (I); -04 (K); -04 (L); -05 (A); -05 (B); -05 (C); -05 (D); -05 (E); -05 (F); -05 (G)(3); -05 (H)(1); -05 (H)(2); -05 (H)(4); -05 (H)(5); -05 (H)(6); -05 (L); -05 (M); -05 (O); -05 (P); -05 (Q); -06 (A); -06 (D); -06 (F); -06 (H); -07 (B); -07 (C); -07 (F); -07 (G); -07 (J); -09 (A); -09 (AA); -09 (B); -09 (C); -09 (D); -09 (E); -09 (F); -09 (G); -09 (H); -09 (I); -09 (J); -09 (K); -09 (L); -09 (M); -09 (N); -09 (O); -09 (P); -09 (Q); -09 (S); -09 (T); -09 (U); -09 (V); -09 (W); -09 (X); -09 (Y); -09 (Z); -10 (A); -10 (B); -10 (C); -10 (E); -10 (F); -10 (G)(1); -10 (G)(2); -11 (C); -11 (D); -12 (A); -12 (D); -12 (E); -12 (I); -15 (A); -15 (C); -15 (F); -16 (B); -17 (A); -17 (B); -17 (C);

The Wood County Jail did not comply with 0 standards, 0 "Essential", and 0 "Important". This letter is intended to serve as a basis for developing plans of action for bringing the facility into compliance with the deficiencies noted during the inspection.

The Wood County Jail was found to be in compliance with the onsite jail inspection for the 2016 calendar year. Your continuing effort to maintain compliance with the Minimum Standards for Jails in Ohio is to be commended. Thank you for your cooperation in the 2016 annual inspection process.

Sincerely,

A handwritten signature in cursive script that reads "Steve D. Holland".

---

Stephen Holland, State Jail Inspector  
Bureau of Adult Detention  
1580 St Rt 56  
London, Ohio 43140  
Phone: (614) 981-2040  
Email: [stephen.holland@odrc.state.oh.us](mailto:stephen.holland@odrc.state.oh.us)